



WORLD'S LEADING AIR CONDITIONING  
COMPANY FROM JAPAN

# A Cool Range of Future Ready Air-conditioners



IS:1391 (Part-2)



CM/L-8400163007



**PATENTED STREAMER  
DISCHARGE TECHNOLOGY**



**PATENTED SWING  
COMPRESSOR**



**IoT  
TECHNOLOGY**



**ECO-FRIENDLY  
GREEN REFRIGERANT**

# INVERTER SERIES



10 YEARS WARRANTY ON COMPRESSOR



5 YEARS WARRANTY ON PCB



PATENTED SWING COMPRESSOR



STABILIZER INSIDE



100% COOLING CAPACITY AT 43° CELSIUS



POWER CHILL



GOOD SLEEP OFF TIMER



COANDA AIRFLOW



ECONO MODE



ANTI-CORROSION TREATMENT

STREAMER DISCHARGE SERIES

## JTKJ Series



Available in: Cooling (kW) 3.52, 5.28, 6.2  
IDU Colour: White



Patented Streamer Discharge Technology



Dew Clean Technology



Intelligent Eye



PM 1.0 Filter



Triple Display



Automatic Error Code Display



Air Throw \*16 Meters (52 Feet)



Cools at 54° Celsius

SMART+ SERIES

## FTKN Series



Available in: Cooling (kW) 3.52, 5.0  
IDU Colour: White



Patented Streamer Discharge Technology



Dew Clean Technology



PM 2.5 Filter



Triple Display



3D Airflow



Automatic Error Code Display



Air Throw \*16 Meters (52 Feet)

HIGHEST ISEER & HIGH AMBIENT SERIES

## FTKR Series



Available in: Cooling (kW) 3.52, 5.28, 6.2  
IDU Colour: White



Voice controlled with Alexa & Google Home\*



Mobile APP Control



Dew Clean Technology



PM 2.5 Filter



Triple Display



3D Airflow



Air Throw \*16 Meters (52 Feet)



Cools at 54° Celsius


## FTKF Series



Available in: Cooling (kW) 3.35, 5  
IDU Colour: White



Highest ISEER 6.2\*



PM 2.5 Filter



3D Airflow



Dry Mode Function



Indoor Unit Quiet Operation



Air Throw \*16 Meters (52 Feet)



Cools at 56° Celsius

Note - \*ISEER 6.2 Rating is applicable for FTKF35.

\*Air throw given for 5kW (1.5 TR) capacity, may vary model to model.

Note - Air Conditioner cloud connectivity subscription for one year comes along with the product. After one year, the subscription needs to be renewed by the customer. #In both Hindi and English languages.

# INVERTER SERIES

## FTKM Series



Available in: Cooling (kW) 3.52, 5.28, 6.2  
IDU Colour: White



5 STAR  
STANDARD SERIES



ISEER 5.2



Dew Clean Technology



PM 2.5 Filter



Triple Display



3D Airflow



Air Throw  
\*16 Meters (52 Feet)



Cools at  
54° Celsius

## FTHT Series



Available in: Cooling (kW) 3.52, 5.0, 6.0  
Heating (kW) 3.52, 5.0, 6.0 IDU Colour: White



3 STAR HOT AND  
COLD SERIES



Heating & Cooling  
Function Operation  
-10°C to 54°C



Dew Clean Technology



PM 2.5 Filter



Triple Display



3D Airflow



Air Throw  
\*16 Meters (52 Feet)



Cools at  
54° Celsius

## FTKT Series



Available in: Cooling (kW) 3.52, 5.28, 6.2  
IDU Colour: White



3 STAR SUPER  
SUMMER SERIES



Cools at High  
Ambient 54° C



Dew Clean Technology



PM 2.5 Filter



Triple Display



3D Airflow



Dry Mode  
Function



Air Throw  
\*16 Meters (52 Feet)

## ATKL Series



Available in: Cooling (kW) 3.52, 5.0, 6.0  
IDU Colour: White



3 STAR STANDARD+ SERIES



Dew Clean Technology



PM 2.5 Filter



Triple Display



3D Airflow



Automatic Error  
Code Display



Air Throw  
\*16 Meters (52 Feet)



Cools at  
52° Celsius

## FTKL Series



Available in: Cooling (kW) 7.1  
IDU Colour: White



3D Airflow



PM 2.5 Filter



Auto Fan Speed



Dry Mode Function



Self Diagnosis



Air Throw  
17 Meters  
(56 Feet)



Cools at  
52° Celsius

\*Air throw given for 5kW (1.5 TR) capacity, may vary model to model.

# NON-INVERTER SERIES



5 YEARS WARRANTY ON COMPRESSOR



1 YEAR COMPREHENSIVE WARRANTY ON MACHINE



STABILIZER FREE



ECONO MODE



COANDA AIRFLOW



AUTO FAN SPEED



CHILD LOCK



GOOD SLEEP OFF TIMER



100% COOLING CAPACITY AT 43° CELSIUS




ANTI-CORROSION TREATMENT

3 STAR STANDARD SERIES

## FTL Series



Available in: Cooling (kW) 2.8, 3.35, 5.05  
IDU Colour: White



Power Airflow Dual Flap



PM 2.5 Filter



Dry Mode Function



Power Chill



Backlit Remote Controller



Self Diagnosis




Air Throw \*16 Meters (52 Feet)

STANDARD SERIES

## FTE Series



Available in: Cooling (kW) 6.4  
IDU Colour: White



Power Airflow Dual Flap



Dry Mode Function



Self Diagnosis



Backlit Remote Controller



Wipe Clean Flat Panel



Auto-restart (after power failure)



Air Throw 16 Meters (52 Feet)

\*Air throw given for 5kW (1.5 TR) capacity, may vary model to model.

### DAIKIN AIRCONDITIONING INDIA PVT. LTD.

12th Floor, Building No. 9, Tower A, DLF Cyber City, DLF Phase III, Gurgaon 122002, Haryana, India  
Tel: 0124-4555444, Fax: 0124-4555333

#### Customer Contact Centre:

SMS: <DAIKIN> to 92 101 88 999  
Give missed call: to 92 101 88 999  
Customer Support no.: 011-40319300 / 1860 180 3900  
Email: customerservice@daikinindia.com  
Visit us at: www.daikinindia.com

Follow us on:

[www.facebook.com/daikinindia](http://www.facebook.com/daikinindia)  
[www.twitter.com/daikinindia](http://www.twitter.com/daikinindia)  
[www.instagram.com/daikinindia](http://www.instagram.com/daikinindia)  
[in.company/daikin-airconditioning-india-pvt.-ltd.](http://in.company/daikin-airconditioning-india-pvt.-ltd.)  
[www.youtube.com/user/DaikinACIndia](http://www.youtube.com/user/DaikinACIndia)

#### Disclaimer

As a continuing policy of product innovation at Daikin, the design and specifications are subject to change without prior notice. The visuals of the products in the brochure are representative only, actual products might differ from the ones shown.

'Products mentioned in this brochure comply with RoHS regulations as per E-waste (Management & Handling) Rules, 2011 and should not be mixed with general household waste at the end of their useful life.' For more details kindly visit our website www.daikinindia.com or contact our customer care centre at 011-40319300 / 1860 180 3900.